# EFDC SUSTAINABILITY GUIDANCE

MAJOR DEVELOPMENTS

(+10 units)

DRAFT FOR CONSULTATION - REVISION 02 SEPTEMBER 2020



### Issue and Revision Record

REVISION	DATE
01	August 4th, 2020
02	August 28th, 2020

### Contents

1 / INTRODUCTION	4
Overview	5
How to use this guide?	6
2 / ENVIRONMENTAL SUSTAINABILITY	10
Design Approaches: First Principles	12
Energy Efficiency & Carbon	14
Renewable Energy	16
Sustainable Movement	18
Water Efficiency	20
Green Infrastructure	22
Circular Economy & Waste	24
Pollution & Clean Air Quality	26
Non-Domestic Developments	28
3 / SOCIAL & ECONOMIC SUSTAINABILITY	30
Introduction	32
Health & Wellbeing	33
Economic Growth & Job Creation	34
Community Strength & Social Infrastructure	35
EFDC Social Infrastructure Map	36
Additional Case Studies	38
Socio-Economic Checklist	39
4 / SUBMISSION	40
Sustainability Checklist	42
Sustainability Statement	44
APPENDIX	46
Appendix 1: Climate Emergency Declarations	48
Appendix 2: Building Performance Standards	49
Appendix 3: Whole Life Carbon Assessment	50
Appendix 4: Planning Conditions	52
Appendix 5: Glossary	54


1

# **INTRODUCTION**

This document supports the highest environmental commitment across the District - to become net zero carbon by 2030

### Overview

Epping Forest District has a carbon emission contribution of 2,048 CO2 (kt) across all industries (2017 data). The graph below provides a break down of the District's emissions based on sector:



Source: scattercities.com

### Overview

#### **CLIMATE EMERGENCY**

Emergency. Epping Forest District Council followed suit and in September 2019 also declared a Climate Emergency.

The global climate is changing, with greenhouse gas emissions from human activity the dominant cause. The global increase in temperature of 0.85°C since 1880 is mirrored in the UK climate, with higher average temperatures and evidence of more extreme weather events.

This Sustainability Guidance supports the highest commitment across the District, which is to produce net zero cabon emissions by 2030. It sets out practical solutions to set out a clear design and construction process for any new development, into a net zero future. EFDC believe that in order to meet our climate change targets, all new buildings must operate at net zero carbon by 2030.

Sustainability focuses on meeting the needs of the present without compromising the ability of future generations to meet their needs. High quality sustainable developments require adopting a holistic approach to environmental, social and economic sustainability.

Epping Forest District Council seeks to set the agenda for sustainable living through ensuring growth that will be net zero carbon by 2030, and building strong and integrated communities across new and existing places, with social equity.

### EPPING FOREST FOREST DISTRICT COUNCIL

In May 2019, the UK Government declared a Climate The Council's emerging Local Plan sets out the most significant level of development to be brought forward across the district in a generation.

> Within the period 2011-2033 the growth proposed in the emerging Local Plan will provide for a minimum of 11,400 new homes. Much of this will be delivered through larger strategic sites which will require planning applicants to take a proactive and considered approach to matters of environmental and socio-economic sustainability.

Whilst green belt protection has previously limited development in the District, the emerging local plan looks to balance future development alongside ecological well-being, responding to the climate emergency and meeting objectives to improve health and well-being.

### PLANNING POLICY CONTEXT

The National Planning Policy Framework (NPPF) (February 2019) sets out national policy for local planning authorities and decision makers. The NPPF states that there is a presumption in favour of sustainable development (paragraph 11), with sustainable development having economic, social and environmental objectives.

The environmental objective is that development should protect and enhance the natural, built and historic environment as well as protecting biodiversity, minimising pollution and adapting to climate change and the demands of a low carbon economy.

### How to use this guide?

#### 1 / PURPOSE OF THIS GUIDANCE

The purpose of this guidance is to help applicants meet EFDC's goals of becoming net zero carbon by 2030, as well as building strong and integrated communities across new and existing places.

EFDC will set the agenda for Sustainable living, making it is easy for residents to adopt sustainable lifestyles. This means the choices offered across all aspects of living, work, and play are sustainable.

Planning for significant growth in the District, new developments need to have in place the foundations to enable exemplar placemaking and long term sustainability. This document provides practical and technical guidance on how relevant Sustainability indicators and policies (environmental, social, and economic) in the EFDC Local Plan will be applied to new major residential and non-residential developments across the district.

### 2 / WHO USES THIS GUIDANCE?

### **Applicants + Agents:**

The document is to be used by developers, design teams, consultants and contractors in shaping development proposals, This will guide design, and ensure coordinated and integrated consideration of sustainability principles and targets at an early stage.

### **Local Authority Officers and decision-makers:**

This document will be endorsed to have material planning weight and the Checklist will help guide the assessment of planning applications for developments coming forward within the District. It will inform pre-application discussions and assist decision-makers in sustainability matters.

### The EFDC Quality Review Panel (QRP):

This Checklist will be utilised for QRP reviews to help form the basis of Sustainability discussions. The QRP panel members are independent experts, and applicants are advised to be in a position to discuss issues on all categories raised in this guidance.

#### 3 / WHEN TO USE THIS GUIDANCE?

Masterplanning: This guide should be used at as early a stage as possible in the design process in order to reduce costly and time-intensive re-design at later stages.

Pre-Application; The Sustainability Checklist should accompany pre-application discussions to ensure all applications have considered and incorporated sustainability measures from the outset of their design.

Planning Application; A Sustainability Strategy incorporating the Checklist, with relevant certification, is to be submitted alongside planning applications.

Post-Planning; Relevant conditions will be discharged and planning obligations and monitoring will be coordinated to ensure that sustainable measures are in place through to delivery and beyond. Tools such as Post-Occupancy Evaluation for ongoing monitoring will be expected relating to key indicators.

### 4 / HOW TO USE THIS GUIDE?

High quality and sustainable development requires environmental, social and economic sustainability to be holistically considered. The guidance is split in to the following two sections:

- 1. Environmental Sustainability
- 2. Socio-Economic Sustainability

Within each section, the topics consists of the following categories:

- 1. Objectives & Requirements
- 2. Key Local Policy & Guidance
- 3. Case studies
- 4. Checklist (to be completed and submitted)

### 5 / SUBMISSION REQUIREMENTS

- 1. Collated Sustainability Checklist
- 2. Sustainability Statement

From each section, a collated checklist can be produced. This should feed in to a Sustainability Statement, with relevant certifications provided.

### 6 / APPLICATION OF GUIDANCE

The guidance is applicable to all major developments within Epping Forest District. This will include:

- Strategic Masterplan / Village Masterplan areas
- All major residential and non-residential developments and associated infrastructure proposals (10+ units)
- Change of Use resulting in major development

8

#### 7 / THE CHECKLIST

The Collated Checklist visually indicates whether proposals meet the District's sustainability principles and goals of becoming net zero carbon by 2030.

Minimum	Net Zero-Carbon	Net Zero-
Requirements	by 2050	Carbon by 2030
These are policy-compliant / Building Regulations compliant, but do not meet Climate Declaration targets	These targets meet ultimate goal, but 20 years slower	

### 8 / RELATIONSHIP TO THE LOCAL PLAN

This guidance should be read in conjunction with the policies found in the **Epping Forest District** Council Local Plan. This document will be endorsed to have material planning weight when determining applications.

This EFDC sustainability guidance will need to be considered as part of the wider policy context but is expected to compliment the policies by providing a practical tool for enhancing the sustainability of development in the District. It will help inform a collaborative master planning and application process.

### 9 / PARTNERSHIP WORKING

**Epping Forest District Council are committed** to working with relevant organisations, service providers and community groups to ensure proposals Using the Guidance and Checklist to demonstrate are developed collaboratively and with thorough consideration of local priorities.

### 10 / REVIEWING & MONITORING

Requirements in this guidance are based on current (2020) regulations and best practice, and may be superseded by future standards. The guidance will look to be updated every 3 years.

#### 11 / INCENTIVES FOR SUSTAINABILITY

By 2030 all new buildings will need to operate at Net Zero (i.e. annual net zero carbon emissions), which means that by 2025 all new buildings must be designed to net zero carbon.

In EFDC, 12,000 new homes are expected over the next plan period. If the required standard is not met when homes are first constructed, they will require retrofit before 2050 just to keep up with changing legislation; which is likely to be five times more expensive than building them to be net zero carbon in the first place.

Current statistics indicate that net zero homes can be achieved for an additional capital cost of 5-7%, with the opportunity to reduce this figure with economies of scale. This added capital cost is also likely to decrease over time due to the decarbonisation of our electricity grid, and the reducing costs of technology. Furthermore, long-term operation costs of new homes are vastly reduced due to the lower energy demand from homes, eliminating challenges such as fuel poverty. (Currie & Brown, 'Cost of Reduction in New Buildings')

Homes meeting higher sustainability standards have been shown to be sold at a premium as consumers choose to purchase their homes from more sustainable developers. The co-benefits to human health of achieving net zero carbon are extensive and include better air quality, less noise, more active travel and a shift to healthier diets. (CCC: Net Zero, 2019)

### 12 / PLANNING & SUCCESS

sustainability ambitions will lead to a smoother planning process and faster assessment time.

Exemplar schemes will be hosted on the EFDC website and shared as case studies in a bid to promote the most ambitious projects.

The District will also actively work with applicants to put their schemes forward for Local and National awards and partnership opportunities.

2

# **ENVIRONMENTAL SUSTAINABILITY**

This section looks at how Epping Forest District Council can become net zero carbon by 2030.

### Design Approaches: First Principles

The following 'First Principles' are to be incorporated to ensure new developments are sustainable, and bring practical solutions towards good design. The principles act as a structured design process and are iterative, with observations made to be referred back to when navigating the varying scales of design.

The incorporation of these principles will significantly impact on the development of the remainder of the Sustainability sections.

### 1 / LANDSCAPE LED DESIGN

### Objective:

The District is characterised by different types of landscapes. Each landscape form has defining green infrastructure such as hedgerows, woodland and grasslands. Each green infrastructure network and landscape character designations are to be understood as part of the wider context, scale, age, and quality; these include meadowlands and farmlands, hills and lowlands, scarps and valleys. Ecological value and amenity and recreation value from trees and hedgerows, ancient woodlands should be reviewed.

Once observed and understood, the above observations are to be clearly mapped, through context plans, site plans showing existing landscape features, site photographs and surveys.

### 2 / SUSTAINABLE MOVEMENT

### Objective:

Identifying sustainable movement and active transport infrastructure is key to the success of sustainable growth in EFDC as they embed connectivity through movement corridors; playing a significant role in location, form and scale of development.

Local routes for everyday journeys to work, schools, and shopping should be identified as opportunities to knit communities together, rather than sever them. Strong transport links can tie-in with historic pathways identified through fine-grain analysis. Priority should be given to pedestrian and cycle networks that link to wider sustainable transport networks.

### 3 / ORIENTATION & FORM

### Objective:

Solar orientation must inform the topography, scale and massing of development at early stages of masterplanning, with south-facing buildings, fenestration, and amenities designed to take advantage of passive solar gain – absorbing the sun's heat energy to warm buildings and spaces. Building axis' should be orientated in the east-west direction – to take advantage of maximum daylight and heat from the sun which significantly reduces the energy consumption of a building, and can reduce a homes' heating and cooling costs by up to 85%. To stay cool in the summer months and avoid overheating, external shading provisions should be made to the buildings and surrounding areas, including the use of green infrastructure.

### 4 / ENERGY HIERARCHY

### Objective:

The Energy Hierarchy has been used to highlight the sustainability process new developments should comply with:

BE LEAN: Use less energy: minimising the energy demand of new buildings through fabric performance: This step requires design that reduces the energy demand of a development. Energy Strategies need to demonstrate how energy efficiency measures reduce the energy demand in line with performance targets highlighted in this document.

BE CLEAN & GREEN: Supply energy efficiently: utilising energy efficiently in buildings including for space heating & cooling: Consideration must be given to how heat and energy will be provided to the development using low-carbon heating networks.

BE SEEN: Monitor & Report performance: for at least 5years post-completion to remove the performance gap: This requires all major developments to monitor and report their energy performance post-construction to ensure that the actual carbon performance of the development is aligned with the EFDC ambitions of a net zero-carbon target.

### 5 / ADAPTABLE & FUTURE PROOF DESIGN

### Objective:

Building strong communities is aided by giving people and families the opportunity to have accommodation that can adapt to respond to their changing needs and abilities. This means looking at the macro-scale provision of a range of house types, adaptable facilities and meanwhile use spaces, through to the micro-scale; the space and ease in ability to extend homes and facilities (physical and digital) to work from home. It is important that strong communities are not broken due to the lack of adaptable design.

### 6 / FABRIC-FIRST APPROACH

### Objective:

A fabric-first approach requires the building envelope to be a high-performance thermal envelope, reducing energy waste. This means the proposed buildings must have external walls, roofs, floors, windows & doors that are: super insulated, airtight, and windtight.

A fabric-first approach includes the windows and doors – which provide significant heat loss and heat gains – depending on solar orientation. Windows and doors must therefore incorporate high-performance glazing to provide comfortable internal temperatures. A high-performance thermal envelope delivers exceptional indoor comfort and building energy efficiency.

### 7 / VENTILATION & OVERHEATING

### Objective:

A mixed-mode (natural and mechanical) ventilation strategy is encouraged for excellent indoor air quality. This involves the incorporation of a wholehouse mechanical ventilation with heat recovery system (MVHR) – which is key to delivering radically energy efficiency and exceptional comfort, through providing clean, filtered air into habitable spaces.

### 8 / EMBODIED & OPERATIONAL ENERGY

### Objective:

12

Embodied energy is the total energy required for the extraction, processing, manufacture and delivery of building materials to the building site.

All design teams are expected to think about, and reduce the embodied energy required to develop their schemes. For example, depending on location, height, and site suitability, materials like timber could be favoured over less sustainable alternatives such as concrete.

Operational Energy is concerned with the amount of carbon emissions associated with the building's annual operation. Developments should be aiming for net zero carbon – where energy on an annual basis is zero or negative. A net zero carbon building is highly energy efficient and powered from on-site and/or off-site renewable energy sources. Developments should be designed using realistic predictions of operational energy to avoid performance gap in a buildings' energy use.

### 9 / RENEWABLE TECHNOLOGIES

### Objective:

Renewable energy uses natural resources such as sunlight, wind, tides and geothermal heat which are naturally replenished. Most forms of renewable energy are cheap to operate, but can be expensive to install.

Examples of technologies include; PV's, solar thermal, biomass, ground/air source heat pumps, wind, hydro. The choice of renewable technologies should be dependent on an assessment on site and development suitability.

### 10 / AIRTIGHT & THERMAL BRIDGE FREE

### Objective:

An airtight strategy focuses on the internal comfort of a building, and will be required to develop a draughtfree building envelope. The draught-free building ensures high energy efficiency, internal user comfort, and protects the building envelope.

The airtight strategy must be continuous to ensure there are no unintended gaps in the building envelope that allow uncontrolled air to leak in and out of the building.

Internal comfort is affected by heat loss through the building fabric, and poor thermal bridging – any gaps or thinning of the insulation. Therefore, the design approach must be to design them out.

### **Energy Efficiency & Carbon**

### **OBJECTIVES & REQUIREMENTS**

The transition to net zero-carbon by 2030 must begin with providing genuinely affordable homes. All new buildings are therefore expected to adopt a fabric-first approach (e.g. Passivhaus Standards), with the expectation that as our grid system decarbonises and, we build more energy efficient homes, emphasis will be placed on the embodied energy involved in constructing new buildings.

With the decarbonising of the National Grid, achieving net zero-carbon will mean developments must respond to the key components of <a href="whole-life-carbon">whole-life-carbon</a>; <a href="embodied carbon">embodied carbon</a> and <a href="mailto:operational energy">operational energy</a>. Achieving net zero operational energy means the building does not burn fossil fuels and is 100% powered by renewables.

A Whole Life Carbon (WLC) Assessment should be undertaken at pre-application, planning application, and after practical completion, as new homes are expected to last 60+years, with carbon emission reduction in line with the targets in the Checklist.

### **Embodied Carbon Reduction Strategy:**

- Using circular economy principles of reuse and refurbish, and designing for disassembly at end of life with processes including using offsite construction.
- Building low-energy homes, using fossil fuel-free technology to supply heating and power to them. Using renewable energy where necessary

### **Operational Carbon Reduction Strategy:**

- Not burning fossil fuels for supply to homes
- 100% powered by renewable energy i.e.heat pumps
- Achieving energy performance in line with checklist

Embodied carbon can be measured by design teams by various software that allow quick analysis and visual representation of carbon use.

SOCIO-ECONOMIC CO-BENEFITS +

### **KEY LOCAL POLICY & GUIDANCE**

EFDC Local Plan Policy:

- SP2 Place Shaping
- SP3(xvii) Highest standards of energy efficiency
- T1 Sustainable transport choices
- T2 Safeguarding of routes and facilities
- DM9 High Quality Design
- DM20 Low Carbon and Renewable Energy
- **DM21** Local Environmental Impacts, Pollution and Land Contamination
- DM 22 Air Quality
- Net Zero Carbon Buildings: A Framework Definition (UKGBC)

### **CASE STUDIES**



Marmalade Lane, Cambridge Built with fabric-first approach for energy efficient homes, alleviating fuelpoverty.



Goldsmith Street, Norwich Built to Passivhaus standards, needing little energy for heating and cooling.



Virido, Cambridge Zero-carbon development of 208 homes, achieving Code for Sustainable Homes Level 5.

SUBMISSION CHECKLIST		Minimum Requirement	Net Zero- Carbon by 2050	Net Zero- Carbon by 2030
En.1	Operational Energy (KWh/m2/y) (includes both regulated and unregulated energy use in the building, as measured at the meter)	146	< 70	< 0 - 35
En.2	Embodied Carbon (kgCO2e/m2)	1000	< 450	< 300
En.3	Space Heating Demand (KWh/m2/y)	54.26	25	15
En.4	Airtightness (air changes/ hr @ n50)	5	3	≤ 0.6
En.5	Ventilation Strategy (m3/hr/person)	Natural - extract fans	Mechanical with extract fans	Mechanical Heat Recovery (30)
En.7	What is the on-site reduction in CO2 emissions against Building Regulations Part L (2013)?	0-34%	35%-50%	≥ 50%
En.8	For applications greater than 99no. units, what BREEAM Communities Level is met?	Very Good	Excellent	Outstanding
En.9	What Fabric U-Values has the proposal been designed to meet? W/(m2K)			
	External Walls	0.30 - 0.16	0.15 - 0.13	< 0.13
	Floor	0.25 - 0.11	0.10 - 0.08	< 0.07
	Roof	0.20 - 0.13	0.12 - 0.10	< 0.10
	Windows (triple glazing) & Doors	2.00 - 1.4	1.3 - 1.00	< 0.9
Please attach Tables 12 & 13 of your Whole Life Carbon Assessment (see Appendix 3)				
	Please attach relevant certification of the above standards you have chosen, and use 'Sustainability Summary' pages where you are adding any further information.			

### Renewable Energy

### **OBJECTIVES & REQUIREMENTS**

Our recent extreme weather has highlighted the need to ensure that buildings constructed today are fit for the future, and, designed for resilience over the next 60+ years. New developments have a unique opportunity to ensure that the heating and hot water they generate are fossil fuel free, as heat demand is estimated at more than 40% of the energy consumed across the borough.

On-site renewable technologies such as Heat Pumps, Solar Photovoltaics, and Solar Thermals should be explored for adoption, and combined to provide the greatest benefit to new developments.

Applicants are to use the <u>LETI Heat Decision Tree</u> throughout the design stages, to assist them in choosing the most appropriate heating system. Renewable systems should be prioritised over connecting to district heating networks, which depend on fossil fuels.

New Developments should be designed to;

- Join Heat Sharing networks: particularly relevant for these strategic mixed-use development sites where opportunities for load shifting and heat sharing occur.
- Minimise system temperatures: high temperatures in heating systems are synonymous with fossil-fuel combustion
- Reduce Heat Demand at point of use: The greatest opportunity to meeting net zero-carbon emissions is to reduce the amount of heat needed: achieved through a fabric-first approach and limited hot water use, coupled with reuse of low temperature waste heat sources.
- Lean Design: load modelling can predict energy use and help size plant requirement.
- Harness Waste Heat: heat released as a by-product of an existing process enables otherwise wasted heat to contribute to meeting energy demands.

SOCIO-ECONOMIC CO-BENEFITS +

### **KEY LOCAL POLICY & GUIDANCE**

EFDC Local Plan Policy:

- SP3 (xvii) Highest standards of energy efficiency
- **DM9** High Quality Design
- **DM19** Sustainable Water Use
- DM20 Low Carbon and Renewable Energy

### **CASE STUDIES**



Project Etopia, Corby Uses combined solar PV's and thermal panel to deliver net zero carbon on site.



Active Homes, Neath, South Wales Battery technology used to store energy and solar PV & TSC's to generate 60% energy.



Tallack Road, Waltham Forest, London Large-scale communal Air Source Heat Pump to feed ambient temperature heat network

SUBMISSION CHECKLIST		Minimum Requirement	Net Zero- Carbon by 2050	Net Zero- Carbon by 2030
Rn.1	What on-site renewable energy technologies have been included in your development?	PV's + EV charging / CHP's	Low-temperature District Heating	Heat Pumps / Solar Thermal
Rn.2	What percentage of CO2 emission reduction will be provided from on-site renewable energy sources? (SAP 10 carbon emission factors to be used for calculation)	> 20%	> 50%	> 70%
Rn.3	What percentage of household electricity will on-site renewable technology provide? (Net zero operational carbon does not burn fossil fuel and is 100% powered by renewables)	> 35%	> 50%	100%
Rn.4	Have any relevant government incentivised schemes been taken advantage of? i.e. Non-Domestic Renewable Heat Incentive (RHI)	None		Non-Domestic RHI
Rn.5	Space Heating Peak (W/m2)			10 (Equiv. to 6 kWh/m2.yr renewable electricity from the grid)
Rn.6	Domestic hot water peak (W/m2)			6 (Equiv. to 9 kWh/m2.yr renewable electricity from the grid)
	Please attach relevant certification of the above standards you have chosen, and use 'Sustainability Summary' pages where you are adding any further information.			

### Sustainable Movement

### **OBJECTIVES & REQUIREMENTS**

Sustainable movement and active transport infrastructure are key to the success of sustainable growth in the District, as 61% of the District's carbon emissions are caused by on road vehicles (refer to p.6). The provision of sustainable transport choices and securing modal shift away from reliance on the car is a key component in mitigating the future impacts of air-borne pollutants on the health of the Epping Forest SAC, and achieving net zero carbon by 2030.

Development should minimise the need to travel, promote opportunities for sustainable transport modes, improve accessibility to services and support the transition to a low carbon future.

Masterplanning for sustainable movement should address: walkable low-traffic neighbourhoods with good permeability, sociable streets and placemaking; cycling, walking and public transport network; behaviour change programmes; rebalancing car use and parking design and availability; futureproofing with adaptable technology; deliveries and servicing; and construction impacts.

Development will be supported where they:
(i) promote transport choice, through improvements to public transport services and supporting infrastructure, and providing coherent and direct cycling and walking networks to provide a genuine alternative to the car and facilitate a modal shift (ii) promote and improve safety, security and healthy lifestyles;

(iv) do not result in unacceptable increases in traffic generation or compromise highway safety.

Development proposals that generate significant amounts of movement must be supported by a Transport Statement or Transport Assessment and will normally be required to provide a Travel Plan.

Designs must future proof for change in travel habits, including reallocating parking and road space, innovation in travel technology, last mile deliveries and electric charging.

SOCIO-ECONOMIC CO-BENEFITS +

### **KEY LOCAL POLICY & GUIDANCE**

EFDC Local Plan Policy:

- SP2 Place Shaping
- SP3 (xvii) Highest standards of energy efficiency
- T1 Sustainable transport choices
- T2 Safeguarding of routes and facilities
- DM9 High Quality Design
- DM20 Low Carbon and Renewable Energy
- **DM21** Local Environmental Impacts, Pollution and Land Contamination
- DM22 Air Quality
- Essex Transport Strategy
- Epping Forest District Cycling Action Plan

### **CASE STUDIES**



St Chads
Development,
Essex
Designated as
shared surface
'home zones',
streets are designed
to meet the needs
of pedestrians
and cyclists, and
reduce the speed of
vehicles.



Mini-Hollands, London Involve e a range of innovative improvements for cyclists, including cycle training, cycle roadshows, bike maintenance courses and cycle parking.



Brooklands, Milton Keynes A comprehensive network of routes for active travel and links into the wider Milton Keynes network of footpaths and 'Redways' (safe paths for walking and cycling across the city).

	SUBMISSION CHECKLIST	Minimum Requirement	Net Zero- Carbon by 2050	Net Zero- Carbon by 2030
Tr.1	Have walkable, low-traffic and permeable neighbourhoods been designed as a first principle?	No - vehicle access design prioritised	Yes - transport hierarchy considered	Yes - walking & cycling desire lines, network, topography, user hierarchy as design drivers
Tr.3	Are bus stops and hubs accessible and attractive for new and existing residents?	Hubs and bus stops provided	STC Hubs within 800m, bus stops within 400m of all new homes	STC hubs co- located with community facilities, sheltered bus stops within 800m/ 400m of all homes,
Tr.4	Have inclusive design principles / accessibility for all regarding sustainable movement been achieved?	Meets Equalities Act	Inclusive Design Statement provided	Exemplary inclusive design provided
Tr.5	Has an assessment been provided against a recognised tool? E.g. <u>Transport for New Homes Checklist</u> / <u>Healthy Streets Check for Designers</u>	No	Yes - assessment undertaken	Yes - assessment undertaken and exemplary score achieved
Tr.6	Has a Sustainable Travel Plan been provided? Has Modeshift Stars accreditation been explored?	No	Yes - Sustainable Travel Plan provided	Yes - including behaviour change programme, travel coordinator, monitoring
	Please attach relevant certification of the above use 'Sustainability Summary' pages where you	•		

### Water Efficiency

#### **OBJECTIVES & REQUIREMENTS**

Due to the combined challenges of growing populations within Epping Forest District, changing land uses and the finite supply of water, action is required now to ensure the availability of water for the future. The Environment Agency has identified the District as being in an area of 'serious water stress'. There is likely to be less water available for future generations and therefore a need for demand management and water efficiency in the area.

It is important that any new development does not lead to an overall increase in demand for water. The Local Plan puts in place an approach which will secure the incorporation of water saving measures and ambitious targets for water efficiency standards.

The incorporation of sustainable drainage systems (SuDS), that mimic natural drainage and encourage its passive infiltration and attenuation, will be encouraged in all new developments. To avoid increased flood risk and make effective use of existing and planned drainage infrastructure, rainwater should be managed as a valuable resource rather than a waste product. A multi-functional approach to the delivery of SuDS can provide interest in the provision of public open space, and increase biodiversity.

New developments should therefore look to:
i) Reduce the risk of flood through the use of sustainable drainage systems (SuDS)
ii) Minimise use of mains water by incorporating water saving measures and equipment, and by designing residential developments so that mains water consumption is reduced in accordance with requirements found in the table overleaf.
iii) Promote the use of rainwater harvesting and using dual potable and grey water recycling measures

New developments will also be encouraged to incorporate carbon reduction systems, such as a waste water heat recovery system.

SOCIO-ECONOMIC CO-BENEFITS +

### **KEY LOCAL POLICY & GUIDANCE**

EFDC Local Plan Policy:

- SP4(xvii) Highest standards of energy efficiency
- **DM9** High Quality Design
- **DM19** Sustainable Water Use
- DM20 Low Carbon and Renewable Energy
- EFDC Green Infrastructure Strategy
- Essex SuDS Design Guide

### **CASE STUDIES**



Flood Management
Knostrop Weir
(Leeds) provides
an echelon of three
new pneumatically
moveable weirs
that can be lowered
to let floodwater
discharge quickly
downstream; and
a shared foot and
cycle bridge



Ladywell Fields, Lewisham (SuDS) Designed to create more sustainable drainage and reduce flooding, the river channel was modified to create a naturalistic setting incorporating backwaters and wetlands.

	SUBMISSION CHECKLIST	Minimum Requirement	Net Zero- Carbon by 2050	Net Zero- Carbon by 2030
W.1	Potable Water: What is the expected internal water use (litres/person/day)?	110	95	75
W.2	What water collection or recycling measures will be used?	100% provision of water butts	Rainwater harvesting systems	Grey water recycling & harvesting
W.3	How much of the hard surfaces within the development and conveyance systems will be permeable (i.e streams, swales)	50%	75%	100%
W.4	Will water saving devices be installed wherever possible in the development? e.g. low flush toilets, smaller baths, taps and showers with flow regulators	No		Yes
W.5	Have other SuDS measures have been proposed? (i.e. permeable surfaces, rain gardens, green roofs, ponds/wetlands, soakaways)	No		Yes
	Please attach relevant certification of the above standards you have chosen, and use 'Sustainability Summary' pages where you are adding any further information.			

### Green Infrastructure

#### **OBJECTIVES & REQUIREMENTS**

Epping Forest District has a predominantly agricultural landscape, with remnants of an extensive ancient forest reflected in both Epping Forest as well as pockets of woodland and mature trees located across the District. New developments risk harm to the Epping Forest SAC, already under pressure due to pollution and recreational use, if a suitable range of mitigation measures are not identified and implemented. The delivery of new multi-functional green infrastructure will reduce the burden on the Forest, and the Council will pro-actively encourage developments that do so.

The green infrastructure network of EFDC must be considered in an integrated way. Design of streetscapes and amenity spaces, with urban greening such as street trees, pocket parks, garden hedgerows, Super Greenways, greens roofs and swales, can provide placeshaping benefits as sociable streets as well as contribute to climate resilience, through biodiversity enhancement and mitigating overheating. Play, social spaces, food growing, art and heritage trails should be integrated early into designs, with active frontages onto green spaces, to ensure natural surveillance.

Proposals must be landscape-led from the start and across all design stages, as set out in the <a href="EFDC"><u>EFDC</u></a>
<a href="Green Infrastructure Strategy">Green Infrastructure Strategy</a>. They should respond to the District's distinctive setting; expand and enhance the green infrastructure network; improve access to, and the quality of, the surrounding Green Belt; and support a sustainable and diverse environment.

The latest Environmental Bill requires development to deliver at least a 10% Biodiversity Net Gain (BNG), Stewardship and Maintenance strategies should clearly set out net gain outcomes, through habitat creation or enhancement for a minimum of 30 years. Local species should be specified to ensure long-term resilience. The GI strategy should be referred to with regards to stewardship, as it identifies stewardship models to ensure sustainable management and maintenance of green infrastructure.

SOCIO-ECONOMIC CO-BENEFITS +

### **KEY LOCAL POLICY & GUIDANCE**

EFDC Local Plan Policy:

- SP2 Place Shaping
- **SP6** The Natural Environment, Landscape Character and Green and Blue Infrastructure
- **DM1** Habitat protection and improving biodiversity
- DM2 Epping Forest SAC and the Lee Valley SPA
- DM3 Landscape Character, Ancient Landscapes and Geodiversity
- **DM5** Green and Blue Infrastructure
- **DM6** Designated and undesignated open spaces
- **DM9** High Quality Design
- DM15 Managing and reducing flood risk
- DM22 Air Quality
- EFDC Green Infrastructure Strategy
- EFDC Open Space Strategy
- Essex SuDS Design Guide
- Green Essex Strategy
- Essex Biodiverstiy Action Plan
- Stort Catchment Management Plan
- Green Arc Strategy

### **CASE STUDIES**



Ecology of Colour, Dartford by Studio Weave Part of a project to bring public function and engagement with local ecology to a neglected corner of Dartford.



Thames Basin
Heaths Special
Protection Area
In order to allow
new development
while safeguarding
the integrity of the
area, the Council
has put in place
mitigation measures
including SANG.

	SUBMISSION CHECKLIST	Minimum Requirement	Net Zero- Carbon by 2050	Net Zero- Carbon by 2030
Gr.1	Has a high quality landscape-led approach been demonstrated?	No	Yes - some landscape analysis undertaken	Yes - topography, vistas, landscape character & features driving design
Gr.2	What level of Biodiversity Net Gain does your development achieve?	0-10% BNG	11-15% BNG	15%+ BNG
Gr.3	Have Stewardship and Maintenance Strategies been provided including for green infrastructure and biodiversity net gain?	No strategy	Yes - Outline strategy provided	Yes - 30 year strategy with input from community
Gr.4	Have play, community amenity and food production opportunities been proposed? All new homes should be within 800m of allotments, and <u>Fields in Trust distances</u> should be followed for play spaces.	No	Yes - locations mapped with walking isochromes	Yes - locations mapped, character of spaces defined, strategies for play / food / active frontages
Gr.5	Have you used recognised tools to assess the value/ quality of green infrastructure?  E.g. Natural Capital Tool/ Ecometric/ Building With Nature/ Social Value Calculator	No	Yes - qualitative assessment undertaken	Yes - qualitative assessment/ value calculated with exemplary score
Gr.6	Has an overheating assessment or modelling been provided, as set out in <u>UKGBC's</u> <u>Housing Standards Playbook</u> , taking into account impact of green infrastructure?	No	Yes - some assessment	Yes - UKGBC Playbook followed
Gr.7	Has multifunctional green infrastructure been proposed at different scales, with clarity on how its quality and quantity reinforces the District?	Different scales not explored	Yes - different scales shown, roles/ function undeveloped	Yes - small, medium and large GI shown, with qualities and roles defined
	Please attach relevant certification of the above standards you have chosen, and use 'Sustainability Summary' pages where you are adding any further information.			

### Circular Economy & Waste

#### **OBJECTIVES & REQUIREMENTS**

New developments should promote circular economy outcomes and aim to be net zero waste. In the UK, the largest contributor to waste nationally is the construction and demolition industry where a third of all waste is generated.

New developments within EFDC are to be designed to reduce construction waste and enable ease of access for future occupants to recycle and reduce waste. This can be encouraged through adopting a circular economy approach and the Waste Hierarchy found in the <a href="DEFRA Guidance">DEFRA Guidance</a>.

Building in Layers principles should be adopted to determine realistic lifetimes for the elements of a building, and adapt the structure and fabric. Homes should be designed to be adaptable and flexible by considering the intended lifespan of each independent building layer, optimising building longevity and maximising material reclamation at end-of-life.

3 Key Principles expand the Circular Economy process:

# 1. Conserve Resources, Increase Efficiency, Source Ethically:

- Minimise the quantities of materials used by specifying low embodied carbon materials, and resuable materials.
- Minimise the quantities of other resources used including energy, water, and land.

### 2. Eliminate waste and ease maintenance by:

- Long-life & Loose fit: build to adapt to changing social, physical and economic environments.
- Design for Disassembly: at the commencement of the project, set out deconstruction plan and capture asset value.
- 3. Manage waste sustainably and at the highest value: this includes construction, demolition & excavation waste, operation & municipal waste

A <u>Circular Economy Statement</u> and Operational Waste Management Strategy should be provided to demonstrate chosen approach.

### **KEY LOCAL POLICY & GUIDANCE**

EFDC Local Plan Policy:

- SP3 (xvii) Highest standards of energy efficiency
- **DM9** High Quality Design
- **DM19** Sustainable Water Use
- DM20 Low Carbon and Renewable Energy
- DM7 Heritage Assets
- DM8 Heritage at Risk
- DM11 Waste recycling facilities on new development
- DM18 On site management of waste water and water supply
- **HA4** Conservation Areas
- **HA7** Listed Buildings
- Circular Economy Guidance for Construction Clients (UKGBC)

#### **CASE STUDIES**



Illford Community Market, London Designed for five year and will be dismantled and reconfigured on future meanwhile sites.



London Olympic Park, London A waste target of 90% diversion from landfill of demolition waste by weight



Clarion
Housing, Merton
Regeneration
Zero-carbon
development
of 208 homes,
achieving Code for
Sustainable Homes
Level 5.

24

### SOCIO-ECONOMIC CO-BENEFITS +

	SUBMISSION CHECKLIST	Minimum Requirement	Net Zero- Carbon by 2050	Net Zero-Waste by 2030
W.1	How much of the materials used on site are sourced from ethical and responsible supply chains?	80%	95%	100%
W.2	How much of the materials used are non-toxic?			100%
W.3	How much of the materials used can be easily extracted, recycled, and manufactured?	80%	90%	95%
W.4	The new buildings are circular-by-design to what amount?	20%	40%	65%
W.5	How much construction, demolition and excavation (CD&E) waste will be recycled? (This is to be incorporated in your Construction Management Plan)			≥ 95%
W.6	How much municipal waste (operational waste) will be recycled or composted vs sent to landfill or energy recovery?			65% : 35%
W.7	How much of the materials used are 'reusable'			80%
W.8	How much of the materials used are 'reused'			50%
W.9	How much biodegradable and recyclable waste will be diverted to landfill?			0
	Please attach the Design Stage Circular Economy Statement			
	Please attach the Operational Waste Management Strategy, promoting reuse & recycling			
	Please attach relevant certification of the above use 'Sustainability Summary' pages where you	•		

### Pollution & Clean Air Quality

### **OBJECTIVES & REQUIREMENTS**

Every new development will have an impact on air quality, usually by increasing emissions from buildings or due to traffic generation. Poor air quality arises from sources and activities including; traffic and transport, industrial processes, domestic and commercial premises, energy generation, agriculture, waste storage/treatment and construction sites.

Air pollution arising as a result of new developments risks harm to the Epping Forest Special Area of Conservation (SAC), already under pressure due to current traffic levels, recreational use and visitor numbers. The Green Infrastructure Strategy details how Suitable Alternative Natural Greenspace (SANG) should be provided as part of new masterplan developments to relieve pressure on the SAC, as well as other important sites of ecological and natural heritage importance. Where applicable for a development, a Landscape Framework should be submitted detailing the provision of SANG.

The links between poor air quality and human health are well documented by Public Health England. New developments should also attempt to mitigate negative impacts on human health, and take in to consideration the District's requirements on Air Quality Management Areas, Local Air Quality Action Plan, and development Air Quality Assessments.

The following net health gain principles (adopted from Public Health England's guidance) should be incorporated to proposals during the design stages to reduce emissions and contribute to better air quality management; applicable irrespective of air quality assessments:

- 1. Reduce the need to travel by car to destinations
- 2. Provide zero / low-emission travel options (EV's)
- 3. Avoid siting buildings with vulnerable users (i.e. schools, nurseries, care homes) in areas where pollution levels are likely to be higher.
- 4. Incorporate Clean Air Zones in larger developments
- 5. Avoid creating 'street canyons' which encourage pollution to build up

- 6. Incorporate green infrastructure to promote carbon and pollution sequestration
- 7. Orientate and design buildings to rely less on heating and cooling systems
- 8. Site residential accommodation away from roadsides
- 9. Incorporate whole-house ventilation systems for good indoor air quality

This section should not be used as a substitute for work otherwise undertaken in any normal full planning application.

### **KEY LOCAL POLICY & GUIDANCE**

EFDC Local Plan Policy:

- SP3 (xvii) Highest standards of energy efficiency
- DM 2 Epping Forest SAC and the Lee Valley SPA
- DM 9 High Quality Design
- DM 19 Sustainable Water Use
- DM 20 Low Carbon and Renewable Energy
- **DM 21** Local Environmental Impacts, Pollution and Land Contamination
- DM 22 Air Quality
- EFDC Green Infrastructure Strategy

### **CASE STUDIES**



Thames Basin
Heaths Special
Protection Area
In order to allow
new development
while safeguarding
the integrity of the
area, the Council
has put in place
mitigation measures
including SANG.

	SUBMISSION CHECKLIST	Minimum Requirement	Net Zero- Carbon by 2050	Net Zero- Carbon by 2030
P.1	Have measures been taken to reduce the need for car travel, and provide alternative zero and low-emission travel options?	No		Yes
P.2	Where the development has the potential to impact on air quality, has an assessment been undertaken to measure levels of impact on the Epping Forest SAC?	No		Yes
P.3	Has a Landscape Framework been provided that articulates how, where applicable, an integrated approach has been taken to the provision of SANG, in line with the guidance in the GI strategy?	No		Yes
	Please attach relevant certification of the above standards you have chosen, and use 'Sustainability Summary' pages where you are adding any further information.			

### Non-Domestic Development

### **OBJECTIVES & REQUIREMENTS**

Epping Forest District Council seeks to ensure that climate resilience is built-into every project built in the District for decades to come.

It is recommended for all new non-domestic developments to follow the BREEAM assessment method, and to provide the relevant certification as part of the submission.

### **KEY LOCAL POLICY & GUIDANCE**

EFDC Local Plan Policy:

- SP3 (xvii) Highest standards of energy efficiency
- DM 9 High Quality Design
- **DM 16** Sustainable Drainage Systems
- **DM 17** Protecting and enhancing watercourses
- **DM 19** Sustainable Water Use
- DM 20 Low Carbon and Renewable Energy


### **CASE STUDIES**



External Shading
External shading devices can be
incorporated to prevent excessive internal
solar gains and avoid overheating



Green Roofs
Green roofs can increase the thermal mass of a building, absorbing solar energy through the day and releasing heat at night.



Low-Carbon District Heating
The use of district heating to help manage
the demand and supply of heat efficiently
across larger developments.

SUBMISSION CHECKLIST		Minimum Requirement	Net Zero- Carbon by 2050	Net Zero- Carbon by 2030
ND.1	What BREEAM rating is the development targeting?	Very Good	Excellent	Outstanding
ND.1	What annual building Operational Energy targets will your building/s achieve? (kWh/m²/y)	< 170 kWh/m²/y	< 110 kWh/m2/y	0 - 55 kWh/m2/y
ND.2	What annual building Embodied Carbon targets will your building/s achieve? (kgCO <sub>2</sub> e/m²)	<800 kgCO <sub>2</sub> e/m <sup>2</sup>	<650 kgCO <sub>2</sub> e/m²	<500 kgCO <sub>2</sub> e/m <sup>2</sup>
ND.3	What is the Potable Water Use designed for? (Litres/person/day)	16 l/p/d	13 l/p/d	10 l/p/d
Please use the 'Sustainability Summary' pages to describe what measures have been incorporated to design out the risk of overheating, giving priority to architectural approaches.				
	Please attach relevant certification of the BREEAM standards that the development is targeting, and use 'Sustainability Summary' pages where you are adding any further information.			

# SOCIAL & ECONOMIC SUSTAINABILITY

Social and economic sustainability refers to the ways in which places are planned, designed, maintained, built and operated to improve local health and wellbeing, create jobs and bolster economic growth, and strengthen the community.

#### **OBJECTIVES & REQUIREMENTS**

This section looks at the direct impacts of places and people - specifically how new developments will affect the communities they connect to.

Designing for social sustainability requires a framework for both creating new communities that thrive and ensuring existing communities are integrated in to new developments. It is important to address social sustainability at the beginning of development, as managing the long-term costs and consequences of decline and failure in new settlements is an issue of public value and political accountability.

The checklist in this section is designed as a sociosconomic sustainability toolkit for Epping Forest District Council. Rather than provide a set of quantitative targets, the toolkit asks that developers carry out the appropriate engagements with the relevant communities and stakeholders, based on a demonstrable understanding of local needs. The guidance's aim is to ensure that new developments are equipped to incorporate the necessary 'community ingredients' that enable communities to thrive and that boost individual wellbeing - not just during occupation, but throughout all stages.

Community Ingredients should therefore cut across the different stages of developments, including:

- 1. Planning & design
- 2. Construction & occupation
- 3. Long-term stewardship

The list of key documents listed in the adjacent table should be used as reference by developers and applicants in understanding local socio-economic needs, and in planning engagement sessions. The list is not exhaustive but is intended to provide a starting point from which to develop more focused engagement sessions with local groups.

### **KEY LOCAL POLICY & GUIDANCE**

EFDC Local Plan Policy:

- SP2 Place shaping
- H1 Housing Mix and Accommodation Types
- H4 Traveller Site Development
- **E1** Employment Sites
- **E4** The Visitor Economy
- DM9 High Quality Design
- **DM10** Housing Design and Quality
- D2 Essential Facilities and Services
- D4 Community, Leisure and Cultural Facilities

EFDC Infrastructure Delivery Plan

**EFDC Green Infrastructure Strategy** 

**EFDC** Economic Development Strategy

EFDC Health and Wellbeing Strategy

**EFDC Cultural Strategy** 

**EFDC Neighbourhood Plans** 

**EFDC Playing Pitch Strategy** 

**EFDC Open Space Strategy** 

EFDC Employment and Skills Plan

**Epping Forest District Tourism Strategy** 

**NHS Healthy New Towns** 

**RIBA Social Value Toolkit** 

Essex Design Guide

Essex Rights of Way Improvement Plan

Essex + Herts Digital Innovation Zone

essexmap.co.uk

**Live Well Accreditation** 

Play England - Design for Play

### Health & Wellbeing

#### **OBJECTIVES & REQUIREMENTS**

The health and wellbeing of residents should be the priority within any new developments. Measures should be taken to ensure this: including good accessibility to sustainable transport options, provision of high-quality public and green spaces, the use of green infrastructure and biodiversity to promote good mental and physical health, and investment in long-term resilient buildings and infrastructure.

In order to promote the health and wellbeing of new and existing communities, Epping Forest District Council requires all new developments to take the following steps:

- Encourage physical activity, active living, active travel, and sport activities for residents(including through the provision of green infrastructure)
- Promote mental health and wellbeing through clear connections to existing support services
- Encourage older people to live independent lives through increased community support and reduced winter pressures
- Support children and young people by incorporating access to affordable activities such as outdoor gyms, sports and leisure facilities, community allotments, travelling farms, and urban farming - helping to grow local fruits and vegetables for an improved diet
- Incorporating flexible workspaces, such as coworking, as part of the social infrastructure in new developments, particularly in light of pandemics like Covid-19 which will change the way we work moving forward

### **VOICE & INFLUENCE**

32

New developments should look to amplify the voice and influence of residents. This involves governance structures to represent existing residents and engage new ones in shaping local decision-making and stewardship.

### **RESILIENCE & ADAPTABILITY**

New developments should be forward-planning; including housing, infrastructure, and services that can adapt over time; as well as the incorporation of meanwhile use of buildings and public spaces.

#### **CASE STUDIES**



Urban Roof Greening



Great Kneighton, Cambridge - allotments embedded as part of new development



Outdoor / Park Gyms

### **Economic Growth & Job Creation**

### **OBJECTIVES & REQUIREMENTS**

New developments should look to promote longterm growth and development opportunities for local communities, as well as the facilities to develop new skills. This section of the guidance focuses on outcomes including local residents having comfortable homes that are affordable to operate; thriving local businesses; and long-term employments for skilled local labour.

The economic priorities and objectives for new developments should: businesses and jobs, places and people.

Business & Jobs: delivering on these priorities will lead to the following outcomes:

- Skills creation in existing communities and young people, including apprenticeships, to ensure economic impact of new developments continue in the longer term
- Use of local labour and supplies in new development projects
- A healthy business start-up rate and continued growth in the business base

Place: delivering on these priorities will lead to the following outcomes:

- An outstanding location and environment for businesses, that attract and retain more jobs in the District.
- A sufficient, high quality, viable employment land supply to meet future demand and provide a credible offer to prospective inward investors.
- New managed workspace and a mix of premises sizes and styles that cater for existing and future demand, including challenges resulting from Covid-19

People: what we want to achieve in EFDC are the following outcomes:

 New developments cater both to new and existing EFDC residents; the provided housing mixes should be such that they attract new families to settle in the District, but also provide the required homes for local needs

- EFDC, education and training institutions, individuals and local industries will have an informed view of future skills needs that provides a basis for education and training planning and provision.
- Businesses are able to access the workforce they need.

#### **CASE STUDIES**





The Portland Inn (Baxendale Studio) A commission to built to deliver a diverse programme with a key set of requirements as part of the brief, inclduing that the local community should be able to participate in its construction.

34

St John's Estate.

Planning & Design),

delivered economic

The project has

benefits to the

including the

iobs.

local community.

creation of 80 new

Chelmsford.

(Metropolis

### Community Strength & Social Infrastructure

#### **OBJECTIVES & REQUIREMENTS**

New developments should ensure that they integrate existing communities with new ones through shared social infrastructures. Collective activities and social architecture allow the fostering of local networks, creating a sense of belonging and community identity. Measures such as stakeholder engagement and post-development governance will provide residents with ownership of their built environment.

New developments will be expected to provide certain key infrastructures, or contributions towards their provision. The incorporation of these both formal and informal amenities will work towards enabling social inclusion between the members of a community.

Social facilities for children and teenagers; particularly access to early years childcare and leisure centres, are lacking in the District. Developments that provide these and locate them within existing communities will be encouraged.

Further information can be found in the Epping Forest District Council Infrastructure Delivery Plan (IDP), which highlights the local infrastructure requirements of the District, along with their priorities for the area (critical, essential or desirable). These include, but are not limited to:

- Health, Social Care and Emergency Services
- Community Halls
- Walking and Cycling Initiatives
- Education
- Sports Facilities
- Suitable Alternative Green Space (SANGS)

New developments should refer to the IDP, and planning applications should highlight what infrastructure will be provided, alongside contributions to ensure local community needs are met.

#### **CASE STUDIES**



Bromley by Bow Centre A pioneering charity that combines an extensive neighbourhood hub with a medical practice and a community research project.



The Big Lunch (Eden Project)
An annual national event that provides a hook for people to organise lunch with their neighbours, at home or in the street, supported by advice and ideas available on the web.




Castlebank
Horticultural
Training Centre,
Lanark (EKJN)
A collection
of neglected
outbuildings behind
Castlebank House
have become a
thriving horticultural
training centre, a
valuable community
resource.

### **EFDC Social Infrastructure Map**

The map and list on this page highlight existing social infrastructures and community groups within the District. These are not exhaustive but are intended to provide a starting point from which applicants are to develop more focused engagement sessions with local groups.

Please also refer to essexmap.co.uk for an interactive and live map of social infrastructures across Essex.

- EFDC Youth Council
- EFDC Community Champions
- Voluntary Action Epping Forest
- EFDC Health and Wellbeing Board
- Epping Forest District Dementia Action Alliance
- Epping Neighbourhood Action Panel
- Epping Forest Multi Faith Forum
- Waltham Abbey Town Centre Partnership
- Ongar Town Forum
- Loughton Broadway Town Centre Partnership
- Epping Town Partnership
- Buckhurst Hill Village Forum
- · Lea Valley Regional Partnership
- Rural Community Council of Essex
  - Nurseries
  - Breakfast and Holiday Clubs
  - Schools
  - Community Facilities
  - Community Centre and Village Hall
  - Village and Community Halls
  - Sports Halls
  - Health and Fitness
  - Childrens Playground
  - Allotments
  - Motorway
- A Road
- The Epping Forest
- District Boundary
- District Open Land



### **Additional Case Studies**



Tibby's Triangle (Ash Sakula Architects)
There is a constant flow of people of all
ages walking through this development
in Southwold, going to the sea, to the
shops, or just using it as a shortcut. Cars
are accommodated by parking spaces
adjacent to the homes and not at the
expense of pedestrian circulation.



The Hamptons (Community Support Officer)

A local group helped turn two lakes into a fishery. They are now used by a wide spectrum of different social groups on the development.

This is supported by a strong, informative community website.



The Portland Inn (Baxendale Studio)
Baxendale was commissioned to build a temporary external structure that would help deliver a diverse programme with, given its limited budget, a key set of requirements as part of the brief. These were that the local community should be able to participate in its construction.



The Big Lunch (Eden Project)
The Big Lunch is an annual national event: an estimated 8.5m people took part in 2012. It provides a hook for people to organise lunch with their neighbours, at home or in the street, supported by advice and ideas available on the web.




Argal Workshops (Gluckman Smith)
A Cornish former farmstead, previously derelict, was transformed into rural workshops for a local furniture and product designer, to Passivhaus standards, making a new working community for the area.



The Hackney Carnival
Social Life was asked by Hackney
Council to look at the social and
economic value of the Hackney Carnival
- particularly looking at how this brings
money into the borough and how it helps
make people feel at home in Hackney,
and with their wider community.



Higham Hill Theatre (vPPR Architects)
The project is a small community
amphitheatre in Higham Hill Park in
Walthamstow, part of Waltham Forest's
Making Places initiative to deliver public
realm improvement works to every ward
in the borough.



Social infrastructure: enabling social inclusion

Social Life and Hawkins Brown have been commissioned by the GLA to carry out a research inquiry into the role of social infrastructure in enabling social integration and supporting inclusive growth for London.



Castlebank Horticultural Training Centre, Lanark (EKJN)

What began as a collection of neglected and derelict outbuildings behind Castlebank House has become a thriving horticultural training centre, a very popular, much used and valuable community resource.

38

### Socio-Economic Checklist

### SUBMISSION CHECKLIST

- S.1 Explain how the proposals have been informed by the key stakeholders. (Include in response: the stakeholders you have engaged with, the findings from these sessions, and how you have implemented stakeholder recommendations) (max. 250 words)
- S.2 Explain how the socio-economic needs identified in this section have been implemented in your proposal (include the ease of accessibility for existing communities to use new facilities and networks). (max. 250 words)
- S.3 What 'meanwhile' uses are planning for existing communities during construction stage of major developments? How are they implemented? (max. 250 words)
- S.4 Explain how the proposal responds to, and has been impacted by, the list of key documents highlighted in this section (include list of documents used and key findings). (max. 250 words)
- S.5 Demonstrate how the EFDC Economic Growth Strategy has been incorporated in this scheme through; design stages, construction stage, and post-completion (identify what jobs have been created / will be created through this development). (max. 250 words)

Please include your responses to the questions above in the "Sustainability Statement' pages which form part of your submission

# **SUBMISSION**

This section includes the collated environmental and socio-economic sustainability checklists, and the sustainability statement.

### Sustainability Checklist

The collated checklist visually represents how applicants have demonstrated that exemplar environmental sustainability is embedded in the proposed development. It is not scored, rather, it gives a clear view of how sustainable a development is, and directs specific conversation between applicant and Planning Officer and/or Quality Review Panel where improvements are needed.

Minimum	Net Zero-Carbon	Net Zero-
Requirements	by 2050	Carbon by 2030
These are	These targets	These targets
policy-	meet ultimate	meet our goal
compliant	goal, but 20	and Climate
/ Building	years slower	Declarations
Regulations		
compliant,		
but do not		
meet Climate		
Declaration		
targets		

To be added collated checklists from all previous topics

Sustainability Statement	
Please include any additional sustainability strategies or comments you may have.	

# **APPENDIX**

### Appendix 1: Climate Emergency Declaration

### EPPING FOREST DISTRICT COUNCIL

**Declaration: Climate Emergency** 

Date of Declaration: 19th September 2019

Cllrs: S.Nevile + J.Phillip

Adopted Motion / Commitment:

- 1. Declare a 'Climate Emergency';
- 2. Pledge to do everything within the Council's power to make Epping Forest District Council area Carbon Neutral by 2030;
- 3. Call on Westminster to provide the powers and resources to make the 2030 target possible;
- 4. Work with other governments (both within the UK and internationally) to determine and implement best practice methods to limit Global Warming to less than 1.5°C;
- 5. Continue to work with partners across the district and region to deliver this new goal through all relevant strategies and plans;
- 6. In the special circumstances of this district, resolves to protect the Special Area of Conservation through the Local Plan and every other means;
- 7. Implement an Air Quality Strategy and bring forward Sustainability Guidance on planning; and
- 8. Engage with young people when considering the issue of climate change and appoint a 'Youth Ambassador' from the Epping Forest Youth Council."

### Appendix 2: Building Performance Standards



Net Zero Carbon Buildings - UKGBC




Passivhaus




**BREEAM Communities** 



**BREEAM HQM** 




RIBA 2030 Climate Challenge



First Steps in **Urban Air Quality** 



RICS Whole Life Carbon Assessment



London Plan: **Energy Hierarchy** 



Future Homes Standard 2020



National Design Guide



Transport for New **Homes Checklist** 

## Appendix 3: Whole Life Carbon Assessment

### TABLE 12: THE PROJECT ID MATRIX

Date of assessment	Date	of assessment completion		
Verified by	Verifie	er name and organisation		
Project type	New b	uild or refurbishment of ex	kisting structure	
Assessment objective	Briefa	assessment purpose state	ment	
Project location	Full a	ddress		
Date of project completion	Antici	pated date of practical cor	mpletion	
Property type		ential, public/civic, retail, o	ffice, infrastructure, etc.	
Building description	No. of	planning use class storeys, structural frame, iated external areas and a	façade type, basement?, brief descrip	otion of
Size		IA, volume, etc.	, aa, c acta.cc	
Project design life	In yea	rs		
Assessment scope	Buildi	ng parts and life stages/m	odules included	
Assessment stage	Desig	n stage at which the asses	sment has been conducted at	
Data sources		ll data sources used in the n data sources	assessment including building inform	ation and
	#	Building parts/element groups	Building elements	Coverage
	0	Facilitating works	0.1 Temporary/Enabling works/ Preliminaries	
	0		0.2 Specialist groundworks	
	1	Substructure	1.1 Substructure	
	2	Substructure	2.1 Frame 2.2 Upper floors incl. balconies 2.3 Roof 2.4 Stairs and ramps	
		Superstructure	2.5 External Walls 2.6 Windows and External Doors	
		Superstructure	2.7 Internal Walls and Partitions 2.8 Internal Doors	
Building elements	3	Finishes	3.1 Wall finishes 3.2 Floor finishes 3.3 Ceiling finishes	
coverage	4	Fittings, furnishings and equipment (FF&E)	Building-related Non-building-related	
	5	Building services / MEP	5.1-5.14 Building-related services	
		Dulluling Sci Vices / MEI	Non-building-related	
	6	Prefabricated Buildings and Building Units	6.1 Prefabricated Buildings and Building Units	
	7	Work to Existing Building	7.1 Minor Demolition and Alteration Works	
	8	External works	8.1 Site preparation works 8.2 Roads, Paths, Pavings and Surfacings 8.3 Soft landscaping, Planting and Irrigation Systems 8.4 Fencing, Railings and Walls 8.5 External fixtures 8.6 External drainage 8.7 External Services 8.8 Minor Building Works and Ancillary Buildings	
Assumptions and scenarios		ll assumptions and scenari cations	ios used in the assessment including t	rief

These tables have been taken from the *RICS Whole Life Carbon Assessment for the Built Environment*, (November 2017). Please refer to the document for detailed guidance on how to fill out the assessments.

### TABLE 13: RESULTS REPORTING TEMPLATE

						Glol	Global Warming Potential GWP (TCO <sub>2</sub> e)	ming!	Potenti	al GWP	) (TCO <sub>2</sub> (						
Decarbonisation applicable -		Product stage	Construction process stage	tion			Use	Use stage				End or	End of Life (EoL) stage	.) stage	TOTAL*	TOTAL*	Benefits and loads beyond the system boundary
Report decarbonised values alongside non-decarbonised ones.	Biogenic (sequestered)	[v]						[B]					9		[A] to [C] cradle to	cradle to grave	*[]
Building element category	carbon	[A1] [A2] [A3]	[A4] [A	[A5] [F	[B1] [B2	[B2]* [B3]* [B4]* [B5]	* [B4]*	* [B5]*	[B6]	[9]	[B7]	[c1] [	[cs] [c	[c3] [c4]	] grave	(kgCO <sub>2</sub> e/m² or equivalent)	
Demolition prior to construction 0.1 Toxic/Hazardous/Contaminated Material Treatment 0.2 Major Demolition Works																	
Facilitating works Temporary Support to Adjacent 0.3 Structures 0.4 Separalist Corond Works 0.6 Iemporary Diversion Works 0.6 Iemporary Stre Investigation																	
1 Substructure																	
Superstructure 2.1 Frame 2.2 Upper Floors 2.3 Roof 2.4 Stairs and Ramps																	
<b>Superstructure</b> 2.5 External Walls 2.6 Windows and External Doors																	
Superstructure 2.7 Internal Walls and Partitions 2.8 Internal Doors																	
3 Finishes																	
<sub>q</sub> Fittings, furnishings <sup>g</sup> equipment											d _	building- bu related re items it	building-builk related rela items ite	building-building- related related items items	g- building-related tems	building-related items	building-related items
G Society (MED)	building-related systems	building-related systems	building- buil related rel: systems syst	building- building-related relasted systems	building-build related rela systems syste	building-building- related related systems systems	g- building- d related ns systems	building- related systems	building- related systems regulated	building- related systems others	d r	building- bu related re systems sy	building- build related relic systems syst	building- related related systems systems	g-building-related systems	building-related systems	building-related systems
ספו אונפס (יייודר)	non building-related systems	non building-related systems	non building-building-related related systems	non building-bui related re'systems syst	hon non building-building- related related systems systems	on non ling-building- ted related ems systems	non g- building- d related ns systems	non building- related systems	non building-related systems	r sd systems	b r sy	non building- bu related re systems sy	non building-builk related relk systems syst	non non building- building- related related systems systems	non g- building-related systems	non building-related systems	non building-related systems
<sub>6</sub> Prefabricated Buildings and Building Units																	
7 Work to Existing Building																	
8 External works																	
TOTAL																	
TOTAL - normalised $ \{ kg GO_2e/m^2 \\ or equivalent unit to be stated \} $																	

## Appendix 4: Planning Conditions

To be added - list of planning conditions as requested by Sustainability checklist, to be used by officers when assessing planning applications

Appendix 5: Glossary

To be added.